# **Aviation Week**

Including Space Technology

Design Details Of Pratt & Whitney

JT12 Turbojet

October 20, 1958

Modernize now

vaintain the technical pace



was a service and the service of the

## **GYROS**

FOR INERTIAL NAVIGATION
AND GUIDANCE SYSTEMS

auch as the Air Force Automatic Dead Rec Computer new In pas

i Hottenan manutarie gyvosobj social manutarien systems od camponesta servemechie ov costrol systems end part signie controls. These are

a consposing services or control systems and garde look controls. These are augment of the openial Hothus (fix and electro-menhantical

Hoffman Electronics (H

greb bown Guard Avenue Los Angeles 7 Cel·forms

Balls - Communication - Electrons Courter Magnets - Stratters



Read or other Connect: 1900 for EEG Int Linear scendists will be Thea. GREATE, TRANSCOCKT BERTIAL (Supporting). SEAL ATTROMACS (Report, 1986) ANTICANS.

DESCRIPTION OF STATEM DANAMES CORPORATION

### From Sanders Associates, Inc., Nashna, New Hampshire . . . RELIABILITY-PROVED COMPONENTS FOR AIRCRAFT, MISSILES, SPACECRAFT

WIRING



eriers, officers, Kal-P or Tedes.



SURMINATURE FLOWER NY EMPROSESTS PRODUCED BY SAMPLES ASSESSITES offer educate person performance for your pridence. control, and detection systems. Then







MICEOWAYS TRANSMISSION UNI Senders Truffeld Stop Tinnshings Lot office load band spendies within the frequency range 100 to 12,400 mr with reb-





Call or Weber

ASSOCIATES INC. HASHIA, NEW HAMPSHIE + Busin, One + Indexest, California - Workington, D.C.

AVIATION CALENDAI

On 2021 to Tadio Contai Associ As-

the State-15th Assett Dople. Named Abenyal Society, The Physic Asides New York N. T. New & S. Questelv Reposal Morring Ages of Local & Taxasson Morroor many Empress reservoid China

manufact to provide the first special sta-

Write for illustrated trackure describing Localid's services in datast. LANGUE AURCRAFT CORPORATION - NEWTOWN SHICES COUNTY, PA.

**ENGINE** COMPONENTS

> by LAVELLE From propolar spinners and cuffs, to flore bolders, shreads combastion chambers, lasers, exhaust norder and tell pipe assemblies region recorded to the on Locally represented

Levelle has the sessened experience plus advanced facilities and skilled personnel to produce the most oritical engine or connected specifications . In staining steel, fittersom, shanners, or held resistant, high strongth maked alloys. Where your performance stradiods demand dependable dolivery reservoirs cost . . see Lavele for the first in specialized

### TRANS-SONICS

### PLATINUM TEMPERATURE TRANSDUCERS

for measurement, telemetry, and control



1300 Senes transdorers are real/ble at senes trans. - 400 F to - 1933F, frozen



Type 1321 o designed for extreme law



on any string. Set or surved, manada 1810 P. Conces On, Well-On, Tree-A five-year assessment comparators collection certificate at \$, 16, 16, 16, and

the new responsible is appead with our trimenest contain despite the se-temperature transferent are available on special order with accuration to a 1.9 Wife to Transferent, by: Deet 60, Revinence, Mass for Condensed of 1.9 Wife to Transferent

TRANS-SONICS Precision Transducers AVIATION CALENDAR

nete for Quality Council Britisher Hotel Detain Oliva

sed Properties Meeting. Verhamme on PVII-Raid Meeting, Australia De-erbeton and Manufacturer Asso, Senfor Hillian Haird, Defen Ter

Nat 3530-Sported Sensey Not. Have No. 76 Char Andrew Flancauer Comearly Eulahaten and Symposium, Olym Florinal Conscitor, sponsord by Dir. torse I observe Aux., Delte, Ter.

Scalers in readous and disking . . .



### S-C 5000 World's Fastest Electronic Printer

electro mechanical printers, the S-C 5000 High-Speed Elecagreems are used .... wherever a more afficient and conversion of bank companies on the S.C. 5000 to an outgoing example

Casable of Resistened Printing on Pre-Printed Forms Prints Without Impact on Universital Paper of All Types

Reduces Cost of High-Speed Data Processing STROMBERG-CARLSON



"There is nothing four then a Dromberg-Cooken"







### High Performance Starter-Generators by BREEZE

For closed applications or at transit.

Association with the chair program

control to the chair provided of the control of the chairman and operate the chairman object to the chairman of the chairm









CORPORATIONS, INC.



### Margin for Error . . . None!

has easily also poor final opposited. At profitely the right nature the Londing and following the past of pasts of pasts of pasts of their final pasts of the following and their states of the right of their states of the pasts of the states of the pasts of the pas

HOMER ROLLIE BEARING BIVINGH IA MICHGAN



And the Anis State and the control of the control o

## BOWER

LLER BEARING:

## NEW DESIGN PERMITS RELUBRICATION OF FAFNIR HIGH-CAPACITY CONTROL BEARINGS



Fafnir DSRP control bearings, featuring "most capacity for weight and size," now offered in new GDSRP relubricatable series

An other range grows and ports for berring mithortions have one has designed in 8 fair highsupcorp control benergin With these added features, beerings will be identified as the QDSIP Genes Benning (interesies), features, bod rainless and life lactors are that are mis the DSIP Sains, Dolland information on the own inhomination and is a varieties. With the Sub-Internation bearing Computer, New Yorks, Occasional,

1. Politheration — Georges and a labelesed to relieve and receiving. If of bearing lead zone-do not affect 9. Belonged Dealers — Transaction

Space weight

3. High-Capacity Coredovation - Puberral shaped rollers, large roder to a

Here is what the new Fafnir GDSRP Control Bearings offer you . . .

1. Behavatelin — Guessa and parts provid proces of 4. Hardward Early Rogs — provide produce shoulder

L. Surwishin Fator Physidesh - Seels are secondly exchange in outer ring process - provide maximum pateriors consert out making an electron control and

tection against out, including and absence conteminants.

6. Exposed purposes cadmium platest to website of entre



AJRC

AIRCRAFT BEARINGS

AVAIRON WER, Curcher 30, 1558



... means Eghtning fast in-dight reprogramming of aghtern electrical/electrons energity... obsoletes find circuit connection and other systems requiring house or days to rewre... and offen these unusual festures:

removable patchbaseds to permit complete reprogramming in seconds
 35¢ pounds to minimize weight , , , minimize de

engage whole and vibration resultant construction with high stempth sharehouse skips a shock resistant sessing of patchword plays in recoverble bound a AMP's assented wings action that remolecus contacts

for top electrical performance

240 contacts for greatest wesstillky in eigenst combinations or program consequences

For more information on this was preferre surring inchanges, AMP's Patricord System Catalog is available on recent.

THE NEW

CONTRACTOR

A-MP "240" PATCHCORD

DROSE/AMMING

SYSTEM









icent tildatest to the group, list if Lear Autory) but wires are the new's versible de Earthard DHC Corriers\* and the Bercherth L-5 Foreign.

Establish the same autophis as the 5 which proved its efficiently to enterthish development of pt lighters, the metablish development of pt lighters, the metablish development of pt lighters, the metablish development of ASS 201, in the fit

designation ASN-23) for instructional substantine of the H 24 "Chester" retay-weight secret.

The system weight less than 70 peach—lighter by for this one composable indipals it is negociated for extreme in excitoments, specifical, with equal efficiency in impact demants, substant cold or extreme alltade. The modification of preven Less spapered with being proving our For Jerbo Injureation or your several arts Inglieving (disc, unite) | LEAR INCORPORATED CHAND NAFIDS DWISION, Bujk AX 108, 132 Isalia Ave., H.M. Greed Rapids 2. Mith.

LEAI



OCT. 20-30. PROJECT WILLIAM TELL

### DVAN EIDEREFS TEST AMERICA'S AID DESENSE IN FIRST WEAPONS MEET TO USE JET TARGETS

Farshers will not only draw the fire of the nation's

tracecy knowledge to produce a successor needuct.



### DOUGLAS DC-8 JETLINERS FLY WITH BYAN JET ENGINE PODS AND PYLONS



### RYAN RUILDS ATOMIC ENGINE DARTE FOR & F



### DYAN DADAR HELICOPTERS

## FIND SURS

RYAN BUILDS BETTER



Hormon Henry-Duty CONDSEAL Jobs II In designed to provide obsolvin depend shifty in cornecting and seoling Marrier Henry-Duty CONOSER Joint provide maximum

Successfully performing now on lett and regist involve heat lowships additions, the Harry Dury CONCERS. Jobs officer

TO CHROSTION BUTT, LOS ANDELES CRUTORNIA.







repaired extensive machining Force. Such parameted to 125 microsuch. Alone Building, Fitzsbarth 19, Pa. ample—some especially complicated maximum, naturally ran 5000 90 microconcluse and in pluminum have no imples in most cases. unlead on sections of 40 per cent, or . Along him steadily been refining its \$1,000 less than machined perces. And shifty to produce legh-spood rotating they part every requirement for high parts since 1944. Research through squeets and smooth surface fireth spen-testing, stress analysis, highfreeders are exacute thins. They strength placeress welders and new soon at the month on an 2 500 fee, allows has maked this unique pro-190,000 men for a 915" diameter part) on with exceptional cost saveign Cut with Alexa preprints strength. The premium-cooling process, so C195-T51 sharmout allow respective successful with levelly around unare parastroid to the corrieg. The pollers, wan outherer Alcoa developsmooth, carriag blades, often toper- ment. For information about saving

ray to a deficier (6)" edge, have 005" on your machings costs with Alrea's

Alcon' Promoun Cartings permet to 010' tolerances Even defficult pressure-carting proms, cell your

### **Aviation Week** Induction Space Technology

Ortobur 50 1955

KYLKTION WILK, Outside 20, 1956

FROM BOOK P. Books, P.	X-15 Rells Cut: Mach 7 Con	ability Vinselized 26	
	Morth American Awaties Ingersanic research except scheduled		
Assetted and the William Graphy	to moke first flight yeat February.		
EXPERIENCE FACE A Arterior MARCHINE Gard Browning			
	Airlines Bosin Transition to Jet Aircraft 36		
NAME AND ADDRESS OF THE PARTY STATES	Plangest modernication program in history of G. S. knas colls for		
AND ARREST LIVING STORM, STATES STORMS, SALARS LIVING STORMS, LIVING STORMS, LIVI	capatel outlay of \$2.5 billions.		
HOMORES J. S. Ben. Jr., Michael Yoffer	JT12 Design General to Early	Preduction 56	
	P First production datalis of From & Miscopy small surbout point		
PAGE TROPINGEY EVEN COUNTY		up simplicity of design, use of proven engineering methods.	
Spirites - Siere Service, L. J. Strap. Maked S. Cont.			
DEPENDED BOTT Pully			
mergy 57040			
	Heurs Space Deport SY Plans 49	lets to Comend Berry Buffreiten	
	World Group Continues MY Figure 40 Time Prober Sty In Januar Stration 32	CAA Scores Electral Act Sale Facts CAA Breires Comme Assistation	
PERSON PROPERTIES AND STATES	Tant Foctor Kry to Speci Strotogy 32	Son, Tymer Explore MATI Sale	
COUNTY STATES AND ADDRESS OF THE PARTY OF TH	ATRONAUTICAL ENGINEERING		
		Arrian Chiarrer	
Gun as Stener M Preis			
	Rent Billigh Hollaugter Tarbenen da Engine Test Best Design Cate Cocks 73		
B. Ann Miles	Add t, FOR D Stort Torth 50	Medical Forms Scoon & Corp.	
	AMONKS	Technology Spreels Hudershalton	
	Three diseasement finder	AMC's System Sourgestood Contrastors Advant on Funds Bill	
GIS Publi Meres	USAF Londille Soley Statem. 25	Test Pilet, Steers Airques Spire.	
Sci Senters	Espendon, Chenges 60		
PORETIC NEWS ASSESSED.		Min's Where Indestry Discress	
	New Ariests Prediate	Washington Founday	
T 130 Steleckowy 600			
1 MID 16 Million Ann	RUSINESS FLYING		
or se	Super-N European Toda in PEggs Ton? 108	MASSEE ENGINEERING	
Fire 34 1200 Probable Sin	Airwork Micesi Turbles Overhool 189	Polony Ridfansite	
	Arra Commonder Bes Law Cost Worker 150	Minutemen Contract Army Fonds Copyrigs	
	5 26 Converted for Southern the 111 Solvey Alberton Cantrols Server 121		
ter next manual	and the contract t		
A F Vanhet P	MATER		
	Earl Mereld Cresh	Calcular Letters	
and H. Limits 2 3 Gradu			
# f. Motor	Arbeiten's Mademballes Problem 27		
Service Aprel			
Jahr E Polise	COVER Flade took of Flanck Model VZ-IF anal sec, descript on		
S. J. Liber	built be Provide August Corn, ore mades wer at Philadebias International		
D F RWING C A BOOK		is exceed effect and forward flicht.	
Man A. J. Stern, B. S. Herberte,		p. NO: Frenk Pressio, draigner, is of the createds. Assent in being developed	
	for Arm's Desportation, Research of		
SUPPLY A WILL W L Panted			
PODON AND EXEMPLE: C C Garner	Piches .		
	Commission, Nr. D. M. Arten America, Nr. E Spill, Nr Spill From Barnelson, Fills, Mr Spill, Nr Sp		
Bodyn Below			
	Keller		
Author Manage   T J Topy			



### B. F. Goodrich Pneumatic De-Icers are flush mounted on Grumman Gulfstream

Here we where both resumes by Commune augment advant. It Combants Transmire Design for their we will be grey a Life Combant Transmire. Design for their we will be grey that the combant of the combant o



## B.F.Goodrich aviation products

### EDITORIAL

### Aviation's Modernization Problem

Authors we been seed as conformation profiles in the signal of smaller, but the said of the St. Hook.

For an action that the signal of smaller, the said seed of the signal of smaller than the signal of smaller than the signal of the said of the

breat the evolutions, of a ratio operation, schemoly, the area of the objects of Career and the LFTA serial general secting in New Delts. It is not not not continuously decidence probably on the LFTA serial general secting in New Delts. It is not not not continuously and continuously probably on the substitute probable on one substitude prople companied to the prospects more and the decidence with the notion of the proposed on the continuously of the notion of

gam of a nee and sough that a reproducted in either technical or actuated interes. Some of once the prich has if developing nee, naturate and membrane, the solid properties of the solid properties of the college in the solid properties. Then it is not excepted in the solidon annual technical parties of a compare in the solidon annual technical parties of the college in the solid properties of the language of some in graph with the problems of the paper of some in graph with the problems of the paper of large page with a problems of the paper of large page with a problems of the paper of large page with a problem of the paper of the large page with a problem of the paper of the large page with a problem of the paper of the sounds for the enterprise and dwar mush, possible, so

Then is marther dotter that takks a dauger upon to takkned progress than our belies. This is the next of the South Upon in a serious computers in the cative mention dustically appearms are computers as the cative sexual deberg systems and space explositions. How well we have a feet than well be distourable legally by how well industry and generated both such as the around problems of mandermarken sequent in massium the technical parts and provide world indentity for this country and in Higo of the law well. again assume the transferred the birth of commercial frequent that characterized the birth of commercial transport in the 1020s and the institute growth in problem or. The cholonic pick interes i just medius, and problem into schoolicely statement operations, yet poper designs coupled of bover and three them; but of all sound abroads are on the dewang bounds of a major manufactorize who competes in this scalled be get fromport medications program to ablor calments or firmed commercial to the tone of 52.8.

core one associates who copies is the under The ## trempter designation program is the Market Miller of promo spoil is respond, storas and storas for the market man and the market man and the copies of the market man and the market man and the copies of the market man and the market man and the promotion and the market man and the copies man and the market man and the mar

### Comet Comeback

depths are well of showest that appears along the work of the first Inflation Clears in the first Inflation Clears in the first Inflation Clears in the control of the first Inflation Clears in the control of the first Inflation Clears in the control of the Clears in a Cert in the Clear in the control of the Clears in a Cert in the Clear in t

### New 25-man raft for turbojets inflates in only 9 seconds with Kidde Inflatair!











Welter Kidde & Company, Inc., Aviotion Division



### WHO'S WHERE

In the Front Office. Dr. Rabort E. Freber, head of the book M. Wedon in moting receives

(USA, set L o nex perodust, Littur Indus-tries lac. For the USA. Cald Dr. Wilhen D. Dren, executive level of manager. Nematicane Computer Disease. Dr. Mantenager. H. Johnson, dominic

Honors and Elections

### INDUSTRY OBSERVER

► Raso-Wooldnige is developing ground-based equipment that will analyze USAF's Scales accommensure satellite. Rasso-Woolderlige's contract is with

Figure around to the Douglas DC-6, DC-7 seeks has relied of the line. The

\* Research and development contract for high processes ucbst determination

\* Books enter in Air Fasor competition for a new early woman strendt

\*Congruent Chier's new and preving senten swhoter secrally based. out its first jet braver, first scaplant and a new eight-preesager, twin-picture engine transport. Jet transet, now being flight trained, appearably has a top spend all acceptionable (20 and), and a colling of over 45,900 ft. The feet-

tion, and "Trinvition from Earth SatePitts," outbones the possibilities of



### NEW APPROACH TN "OLD" MATERIALS

Washington Roundup

season of the II S among Breeze on the fields of Military Contracting

Research Study

Defense Deservaces has submitted a long open re-Dr. Akn T. Waterman, detected of the National So.

Space Reports

Pate of Pature Debate Bloom Agned Services Investigating Subconnection

Small Business Directive

The Office of Small Burmen will be dereth under

\*Bleas Suca Committee's stell a realisating the school for Material

House Subsequentities on Information harded by Bay.

USAF Chief Scientist Leafing conflictly free fact work to record De General

In Congress House Government Operations' staff is looking extension. . How Assessation Schoolastic on the Acced-Service has evanded its state of the scholader of sullitary



### X-15 Rolls Out; Capability for Mach 7



PROTS who will by the X-15 supert succepts once across, note perts for jet control on ten. From left are loogle Walley, National Assessables and Space Administration, Sect.

### He Irrive Street

consistent of the control of the con

distributions, has been toted at Aresbid Engineering, Development, Cantri's B. Beggereing, Development, Cantri's B. Beggereing, Development, Cantri's B. Beggereing, Development, Cantri and Cantri an

......

## if the contract being a legal segme not the fooding part below the contract. Is Visualized.

our to X11 flight into attenting our nursive first the respective pages of Pouncer responsibility for the contract pages of the page of th

Beauch propers all be of loss stems and hype of Rights which is stems and hype of Rights which is bendance are covery, recent or some, 'Core. Cooper declared highlanced that the popularies and high stone area still assequence in this could parameter and high stone area still assequence to this sould parameter and her for the following compared and are discussed as followed propers and me of the following compared and the following control and the following control and the following could be followed to the following uses only on the following could be followed to the following could be followed to the following the fo



Problems of exhibitor and spetral at Other princ counterritons include

NASA-Army Battle

## Walangton-National Accounts and

men's weeky the houses of a weaker speer agreen reportedly is being dis-

Polaris Mulfametion

Applifery Press

nels, Stanzo and The curse, de

Consend and Bellistic Metals Dresen.

AVAITON WITK, OHNROL 25, 1751

evenue for the phost of the worrow

of two arrests 1-000 no automa-

STEIFED stabilistic for on Staff to N III AVAIDON WEEK OWNER 20, 1958

haveled NLR 13 5 maket resizes my assurbed top-ord betton, will be seed up in tail fishe metal stabilizers. Dual new wheels reliability reparameter. A relatively also nor sund to our developed stability. courtney classiful buldur tool perand shots and more where or assembly must be more of the singer whole as

east difficult to contain and extrane

Abstrage alloy it used externelly X-15 Specifications



Weeks Lending Gerr Dard New Wheel Street







### Space Technology Pioneer Indicates Restricted

By Event Clark

AMAZION WEEK OLIMBIA SE, 1956



Radiation lowehed sub 13 see after its target

Countdown Superiores

AMATION WELL OUNSEL SE, 1955

tripctor. 35 day too high. Deserd.

LUMAN PROFE techniq atmos at Sanda Poort, Hawdi, in one of Perc Homeleon model reflects man 35,250 Lps., about of the are in Stepperer, and nor Manchester, Defend, Farabolic techniques as 60 to



PIDNESS have probe well-described propel

### Lunar Probe Stages, Flight Plan Case Covered. Fix of leaves being peaks first Oct. 11 was a released the year to assess such the banks done. These

+ Breaks. Student Desgler They with mortal graduate rename over they 100 000 ft. Velacit was branched vortable. the first stage to registria a petitive oppose head on the energy highly modeled from the from it takes on the Vocement

relates reteart so to more than 1000 continue/or

about 31,425 fps at 460 sec after an most was suppresently 1.116 mole

Terregrature Drop utifile yn ikpesont spee its enn

would have been modeble to corn it to SST, and bettern in the wieflite, are restore rendered by course ou AMADON WEEK, Donker 20, 1858

### International Space Unit Urged

Dy Ford Eastman rustend reconstitute rated and on . That specific plans be developed for green forwarded to the Bloom Salver

. That the spency stave in catalog on

. That the arrest corredor the extrh

ground it by less to compare with

. That Congress and the Povadous political schemes to be allowed to change of data this hard led to returning

. That the accept use the authority AVIATION WEEK, Gendur 20, 1616

### Three-Dimensional Radar Demonstrated

Wakagasabis thereforescent decided by lights each NS in the A Taxona et at each for the contrast on large half as of a size explicit and cores, shown in contrast, and the contrast on large and any one of inflower. Holdentees from the large and up and on the first the contrast of the co



to the second belong the second to the secon

Comp.

The mod unted non-periods are discussed to peak least of the baid storm of a peak least of the baid storm opened with one content has distincted unwillow unwillow to the distinct of the distinct of the baid of the b

should 2.D tweelblese rolds, speed tag, be Begards Volyot travable to tag, be Begards Volyot travable to the speed of the

h, a convenience pass possible that we convenience pass possible the elements and usage doublintee the suffer in a ringe hopfyl riskshitter. We strauge and distribute corner convenience to the support of the suffer in a ringer will be single as slightly construct. For our with Array's Michelbeck has been convenient to the support of the suffer in the support of the suffer in the suffer in the support of the

AVAITON WHY. Ouries 25, 119



dissumment option requires only one infrastrum and one meeter present. Authors while out on number while beam is very up and down to remarks in the matter Enquery.



Control and the following of the first of th

District 22th Land District 22th Land District 22th Clare of the model and 15th Element of the model and 15th Element 2 the model and 15th Element 2 the model and 25th Element 2 the model an



CO) ELECTRICAL ENGINEERING & MANUFACTURING CORP.
4172 New Informs Benferent, Les Angeles 14, Coldenne-Milaghane Eljustes 2 0231

## Lithium and the lighter alloys...







METALS & CONTROLS CORPORATION pold by purpos to the sources consistent afteres, was aspected.

LITHIUM CORPORATION

United Forms Research Corp.

East Betters, Com-United As - district of seconds for United Associate • Dr. Reward Levis, of Combustows

Caution of United Aircraft Research

ARDC Consolidates

at ARDC bandounters indicated but

Willem Robbus United controller Officers on addition to Core Past and

house Community for Records ergrecting at Marsack parts; Insature Office of Sport of Records, the Ac-\* Dr. Gaylord Stover, Soderboach in-• Dr. Backer Rabi, of Columbia Unicommending perceil of ARDC. The . D. After King, major physostred Research Management at hose and applied research work last

**News Digest** 

Easter rate outliture Suison and book

raunder of the Air Force Office of atlowers agreement subjected but now over community of OSE, will be

### AIR TRANSPORT

### Airlines Begin Transition to Jet Aircraft

Largest modernization program in history of U. S. lines calls for capital ontley of \$2.8 billion.

By L. L. Dody

Within the other mirrirs, there is

head the do closurent of awards. Only

Complex Problems

Ag tpdfg control problem or vill



American Airlines' First 707 Flies Assessme Arthur! Set France 737 at trapper, showe taking off on its suridos field at Scotts, will begun abeliated survey fac. 13

.Crownd facilities noth an locaring

by Assuring Wage (AW Jale 7, w

from Baddle Les Austley Agrants Morkey Agreem and Shot, were consid-

Treffic Dilution

Most corners are peacewag that 42% Engreett Metgage Solling davn an oppostuarty to open a new

CAB to Investigate

Stock Lease Plan

while private and other correct

Jets Demand Unprecedented Utilization

Misori Booch, Fig.-U.S. referes

fastern Plan

Sproed Overheads

Engine Assessibility

Hanner the KC-116 at tasker n

AVAILON WEEK, October 20, 1998 ANALYSIS WHEN CONTAY 30, 1959





Three Pan American 707s Near Service Date

Topiar politics with tarbest to reduced the number of corner property

American's Eurnines Herry the in the came a coming poles, in directed by the Carll Ages-

Webighe-Ord Acumatic South



### AIDUSTIF CADACITY FOR THE CRITICAL PAY LOAD

the Almeter heliciptes assure bother handling and general gover, response with ne steplice of servers is populate, roughing from the counts of all-share drilling rigs in delivery of squalities and processed in otherwise incommobile hard creating in in Engalstic Ariesteen Commontons, leader at above's manufacturing for over a quarter century, a new assembling and leading her dalvery fire fine, dependeble exemple of . . . "Tomorrow's deepn . . . Today."





### CAA Objects to Bilateral Idlewild Pact

New York-National Air Transport

CAA is "completely quaparterie" so Best way on Mart's vices small by

CAA official possed out But now

But, the regress! administrator added, 'We have no design to police v.o. USE is inconvenient from an arplot reported USB to his dependent

problem, Blast and or "college toward 22 occurates. The Authority comthey consented widow that observe research with the Authorit. There is how of its spenit work would

Boring 707 Cleared for London Operations London-Borrey 707 act nature has been provincedly depend for London Airport Pro Armeria, Weld Armer e scholated to star 207 service from New York

the regions consessed. The Manney and triangle will be "regardly washed" for In New York, a Past Assessment spelenting and the militer in "interestingly hopes"

The triand legis reduction," he red, "is 200 ft. befor then the Fort Astheolofs." Under an Astheolog other, the 707 mail much and less flow \$300 in The refere to to his more than 1 000 confirmed outs as advance water bridgers

of obtack ever on assessment

### CAB Reviews Quntas' Application 8 Robot H. Cook an income, which could after he captured.

Webstern-Great Deeps. As the streethest barder of U.3 despects had a long small of method from the first barder of the first

the her Common count of model pupils parts to the 18 de 18 d

Le Dat i relation thought their flower of the control that the control tha

the females, how the first females with the females of the females

body is corred by the commercial

some on the management of coloning coloning of the Queen spill coloning system of the Queen spill coloning the system of the Queen spill coloning from 14 oths length country although the constraint of the coloning terms 14 oths length country although more 18 page and 15 ceiles on forest 18 page and 15 ceiles on terms 14 oths and the coloning mental and New York, the Board has a temporal to coloning the coloning and New York, the Board has a temporal to coloning and laborated observation post laborated laborated laborated laborated laborated laborated labora

Gen. Tunner Explains MATS Role
New York-Million Art Transport - "It was the draw of the Company

and the choleschold solder desired for Central and Cen

and the CVO achieve in Orderic Dipote of the Orderic Dipote of

### SHORTLINES

ct recent | A | 1,100 / 702. | Do not recent |

 Angles
 Northwest Askins reports that it few 131.27,000 receive jumenger rates on its descenter and interesting states during September for a 12.6% gain over September 1675, During file

Profic Northon Author Res 5,252 paintings doing 163 and August for in record of 2,781 ext the steet to continue of 1977. But one possesses into 1977 But on the every rest of 1978 painting to the every rest of 1979 painting to 1970 on the rest of the extension of 1970 painting to the every rest to ender deep 1970 painting to 1970 painting to the extension Profit of the extension Profit Northern to the extension Profit Northern to part lead factor for the two contributions.

Pins American World Agreesys corned 695,006 th of air cogo on as excellented less activates reades (testing September This reprocess is 23% increase over last September's Eguco of 507,000 th

No. a 68.17% gain ever the same period of 1977. The stall bring Santonat's were result figure for inconstitute air fraght to 9,441,775 ton order, 20.875 stensor over the 7.814,609 ton scale, current in the same period of last vera \* United An Lane reports the followAIRLINE OBSERVER

This could be a second of the second of the

ise the maint and recent, discounted remiers that it related to user? the cuter With delection chicable to begin most rest, BIMCs as it the XVI see model to control the "bremainde" characters intentity completions on the Ninth, Alamba coate. The compare indicated an appeal per large for a suspetitive Bidds investig on a most at 50 Volkan XVIII per temperature of the control to the second of the second of

decreasing Administration Expression, a 20th mome tree 1977, to diffight that the business plane in they are needed 5 million been as compared with the steelinght sides trail of 1.6 million been as compared with the steelinght sides trail of 1.6 million been as compared with the steelinght sides trail of 1.6 million been as the steeling sides of the steelings to regard a side of the steelings to the side of the constraint of sides of their theorems as the side of the constraint of sides of their theorems as the side of the sides of the si

Control in Linear paper of a Dirth Administration Act governing the specified of the Self-Remarked Act governing the specified of produce to the control of men an excess by medica of ple on cloth control and other security of the specified of t

Action and the Count Mora Corp. Col has exhibited a statistic taxons at Alaca to subpositely health taken or 164 copers and 179 peoples for American Silvetis fixed during the seed fiver years. Name suppositions on consecuting the process on the a court problem. Per American World America estimate that installation and manifestories continuous groups and an 25 means, 700 red terms of the 25 melline most.

Assence, in wheelfood to recreve the balance of our Boscop soler.

P-Schedded distinct surving, Workshiper, B. C., framed some uncoperted and effend support last week on their inductione to trained 10% of their Withshiper (Edition to normb Betterner or inconnected the Sched nameter, bloom consense is the Withshiper Bethewer Adequate of Cornel nested to the Control of the Control

pletton of a new jet powered at Chantilly, Vo.

CONTRACTOR OF THE PARTY OF THE



Exact Dimensional Uniformity... Is an Fimac Ceramic Tube Extra

EITEL-MCGULLOUGH, INC. Simo

### SPACE TECHNOLOGY

### World Group to Continue IGY Program

Be Event Clock

Winkington-First mosteur of the

U.S. delegate to the COSPAR most ing, in addition to Dr. Newell, probable will be Dr. W. A. Newe, chousing of he been fulfilled in the md other COSPAR was diverted by the fator when yourse copportion to more

smooth and to combrate was, with of cotton repulster, policies?"

Space Science Board Organization

\*Genderative at Space and Explanation of Many and Planete-Chairman, Dr. . Agricony and Robo Astronomy-Courses, Dr. Les Coldberg, choisson of the ing omable query antons and integrimentary relative for spirittle process.)-Chief-December Publishes (sport Intentions, orbits, carportly forable sounds proveds)

· Receptor improvests petterny to mend and insephete effects, including . Flories of Fields and Fretches in Space-Chaleson, Dr. John A. Saupson, portrain-Dependent of Physics State University of laws. Fatao Environtes Development Berned Available Facilities indocumentagions. blowly, pideon entremental contains and abstand blooder region

. Verscokeest Assers of Saleto and Space Second-Claims, Dr. Hay-Wester, dender of meteorological assents, U.S. Warfar Bassas.

• Proclamped and Biological Research-Courses. Dr. 28 Keffer Hatting

### THE LONG ARM OF

### THE LABORATORY



He shas Laborarry daugned electronic symmetrated evoluans them whose they actually prove themselves. He makes the applyment produce encrything that was designed amis. He self-Higher Eriell Engineer.

Responsible for the modification and measurement of complex Hermonics Armanier Systems and Graded Minniles, its longer as the front/sour of the reviews document developments. Working with receptor integreed systems,

The highly sequently referenced regreer forms a lack in a strong segmenting cheer. As an extension linguist Rancach is Development Unionization, in an arrange of modifications in the base cheeses.

Makes lade of these a woulded doing for sepire for process examinent of Higher services decore. Comme memories at Basical, Evelynpoint on the Metallocus large passwood Higher Perdate as a consisted allocated ladder for process housing factor options, a radiolly new country to under the memory of country language of the process housing factor options, a radiolly new country to under the memory of country language developed and considerance.

HUGHES

ogroup, making nor that the highest randock of reliability
or have been built area the system.

The share of Research, Development, Manufactures and

Paid Dislusion is also evolute as other Higher storeme. The commercial products activity potterns all these funtions in the arms of districts subsequently potterns, and indistrial systems and controls The Goomb Systems.

Evision performs all photo on presenter roles systems. This resumes to the highest standard of engineering, comband with the diversity and wide strape of activity, make Highest are deal than for the suppose or physicis secretary at course of the course of the secretary secretary.

The summer and an entity in regional and in planning on the Bigground of the Street Engineering Writing Communications Names of subtract Microwaves (Long Undergranding Microwaves Computer Engineering Systems Analysis (Hos. Infig. and present apparent to Mr. Piel N. Salai (Mr. Salai (Mr

Rayle Great Office Ray 6.7 s. Court Cay Coffice.

HUDINES AIRCRAFT COMPANY Cales City, If Equals, Fallette on Les Augus, Calfreia



Incorporate M-D Meavers for Dependoble Performance

3-Labe Rotter Positive Manors spo blower, one deliver a minutest of CERTIFICATE HENDING AVEING DW. and meets all encorporate operated St. Louis. Invite readile for peeds altrade and temperature conditions. tioners for Convent's new 2-58. The M-800 is entimetry was at 3450 MAJ and furnishes 100/lines, of eine fiftee

45" our at 344 wow thru on 8" flowble You can rely on the M-D Blowers strumentation and exidence systems, were of executive fourth both coulits SLobe Retary Positive Biowers M-D's new model M100, smaller, for-Jet Stanters, Colte Leakage N-C SLOWERS, DEC. - 100 POURTH STREET - EACING, WIS. - Millows 6-1025



CETIX will meet soon to Mesons

. There manufactions, estation there . Representative from each of nine proffs mean that we much a cl

Space Strategy Hinges on Time Factors

Della-Acceptance of statement over transferre which must be worked to. Departure of such a scance enable to

altra beliane amale espainite in

The next major step beyond holletic will be in a different direction, record-

THREADED, PROFE TYPE MS28036-7 and MS28036-7

to MH-8-7990



Seed Recome and Technool Suckaround Date As.













and the first true weeked strategic. Nachod Liberatory of Weight for Dr.: Webb and Dubplasted fixed can be The proton retrients 2 ft x 2 ft x

usuable of systems to be designed that



Racketdyne Envisions 50-Man Space Station



TELE DYNAMICS INC. A Namend Street Contraction





### FRONT view of communication assessive JT12 Design

Re Robert I. Stonfeld post up the ougodness suspents and About one year office politics who

Recesses Time doubles, qualified in 15 by test, will condition in 48 he next will be available






### Geared to Permit Early Production Date

estilistas on militar transport on-Notherine I UCK and North narroun ourse go enterest-one to me memory —o to to.

Schminer In addition to its mithibity moves bred to rodent and non as —Adaptable to fast production. Sind
the communical collision securit. The beautifum enteres—coulded the communical collision on Marcol the course. Roughly Avanue Cora has nicetal . Madem in every mass. Arm was consume 14 for mende naturem text.



BEAUGONA of major parts of Fact & Winters's [112.6] exposured region X 500 points up sampledy of deagn ANAZION WEIK, Owier 25, 1556



WITTER PRODUCTS BUILDING

and 1960 expectately were would up

Engine relet one supports the frant

### Gear Rea

Nomed rated

Devenous states on should Street Irology is controlled by labe-



femous PACITRON Fuel Gray femily ... biggest

news . . .



Simmonds Autocustories, INC.

newhole fact measurement, ALL PACITRON



### and Keeps You on it

ARC'S CO.1 COURSE DIRECTOR, TRAVED WITH TYPE 15 OWN RECEIVERS columns ARC's Course Director (CD-11, tenned with music or deal oran-

form dependably. Ask your dealer to matell the ARC CD-1, along with a dual resultation of ARC's Type 15-E VOR equipment. They work at a







JE12 DEPENDENTAL croise X-250, showing the left rule of engine months and her extend such

Benning states-steel-have a los monthly for colon or supply and cop-Fact unsufald to assessed made the Combustion Air Swinlers

with fuel mouth extreme note. Burner ambounded blades. The shaft has an both first and accord stage turbus

Compensor unvalves no sugable

All bearing compartments are smied addition to resiling oil in compartments.

RET THRUST - LES SEA LEVEL estimates of engage X 299, with data presented to straight absorptions was so blad blood what at its, the sea and by consider about 50

preside and replace burner ones and



### Electra's Breakeven Point is 200

Dec Appeles-Concert volume of manage for 161 peopless, coming a total of

give, sectional excepts and distincts. Audible, company steps but not and coal confort Res Casadall

soller case While spender and men-

RECOULTY ON BRIDEING

Nacies Products-East District of

Telescorpoling Corp., Los Angeles

Brokes Awardt Co. strat et Colon

Aster Asport Corp. Ltd. fight and





"we-mad" cable to made from tome

HIGH ASSASION RESISTANCE NUM ANASON RESERVES


CORROGION RESISTANCE New 'mo-man' cubics have come-New Wo-MAN CHEST Titre course sice-remotack qualities simular to.

Swaged terrorade cup be applied to GOING THROWAL CHARACTERISTICS . COMPLETE BANKS OF SIZES the thermal expension classates - CONSTRUCTIONS ... New '80-8640 after of new "to mad" colds are informated entires from 1/16" to 1"

HIGH FATIGUE RESISTANCE

Automotive and Aircraft Division

AMERICAN CHAIN & CABLE





## most of the missile is missing

. . . but the warhead is on target. It was the mission stages, containing the precise Send stage accounted in the target trajectory Konfatt contributions to monastal minile parameter

to the serves and computer mechanisms whose high reliability and performance have been tested under the met herik environmental conditions This economent, descend and built by Kearlett has missiles, rockets, and high-performance aircraft.

extensed inscinally corners and techniques. are backed up by production and research facilities consuring 14 plants and laboratories. This team has grown, during the past decade, along with Keadott's today and tomorrow. Kendatt's combilities—from systems management to percision design and magnifectures are available to you Write today for further information or contact your nearest Kearlott sales office.

























### British Develop New Helicopter Turbines

works?' Labout is the Count at

Seesal, the Grouse currently offus

Accepting Sublider P.351 is one of thy a study contributed stopy. As not a pair of eagrics being developed as of the conspressor colors on armedic The companion is a compound and chamber date a twe-ster believe





the lowest operate find consciopens. ARMSTROMS SECRET F.161 subsolut orgins, developed to most design representalebited would and harboat nown of the properties are believed modes, a desired in an allest take record

tudage a last drace the power cetted

AVANDA WEEK Owner 23, 1956

auston, for comple. Their also is a

Performance Figures

first arbetrarily denotes the course to







Fully-integrated facilities for design development, and production of components. assemblies, sub-systems, and systems...







Far those "impossible" installations Cherry Research Offers The 3/32" MONEL

Hollow Pull-Thru Rivet Assistable with either universal

and with the pull-thru hollow Box 2157-N, Sente Ana, Cold.

Townsend Company

/ April referre and to unegonic rouse of

Overall engage length or 54.5 m., net radiology and holds. Managers than stage free turbine through an

national and for believeter mobile

person setting, personal regar decard

### **IERC Heat-dissipating** "plug-in" Tube Shields for Printed Circuits!



IESC's baset heat-dissipating tube shields for good button and flat Bulb temperatures are maintained to wifein 5°C of the heat sink hits Envication under senere modificate Particular dimensions are to



# FACTS





stored bull bearing research facilities at New becaring For the future development of the bell bearing will be elouely signified with future

# RESEARCH NEVER STOPS!



for conditions in the industry. You New Description's

For data on research progress for jet engine bearings, and for REPRINT JEB.



DIVISION OF SENERAL MOTORS, SSISTOL, CONN.



EVER-ALL VIEW of Robe Roses regime test had fasiles shows control roses on apper level of reducetor harbling field, primary cooler (see letters, railly regar test and Drives plant, wetcoooled best carbonary and transformer on behald let usual compromes.

# Engine Test Facility Design Cuts Costs

Darby, England-Throbb. amore-

Freibly composes two separate co-The plant is comble at accuracy

· Use of recognitive at tacheron meanly on the convenience skifts \* Defence of engine column to the

\* Use of a \$5,000 kg or turbing to

Apart free being one of the largest terbeats over healt he and rathedy proc. 199C proce themen a water

Temperatures Attained

West "Bet a proved contracted," present the Third is present by two

# Lycoming

celebrating

50 years' manufacturing of superior power plants

IS provid to provide OWER FOR TODA! ARMY AIRCRAFT









VERTOL VZ-2







RYAN NODEL 92



















For further information on Lycoming's complete line of eigenest power pleats, write to: Lycoming Division, Arco Menufacturing Corporatios, 550 South Mein St. Stretford, Connecticut.

Lycoming

April De State State



... and you'll have none with the MRC Universal Temperature Measuring System

THE M. P. C. LINISTEINS. TEMPERATURE HEXINDERS SYSTEM PROVIDE:





as supply to the believe Corresponds, a West Lerned

in smile view excepts despets

the beliefs and. In any one we we

advanced injectors

A NEW "WRINKLE" IN HONEYCOMB attremeth to wought, in patiety and

resistance to best, fabrico and corresses. engaseering problems. Phone BY on 1-9685 or write. HONETCOME OVINGO

# Vanadium Allov Steels and Their Uses

Though the beneficial effects of vanadium in allow speels have been known for many years, the one was Vanadism is still eather expensive now sample smpolles for present-day - Heats requiring impact- and fatigue-

Variation is a highly valuable alloying arent. It is an extremely growth-inhibiting effect of vanoand tourbness to the heat-treated steel. Morrover, the carbides are not

tional steels, not only to refine the erain, but to improve the mechani-

though larger quantities are required dium would include certain types of spring steels, places overs, high-

our staff whenever you need information about vanadium strels. Bethlehers metalloggiess will gladly advise you recording analyses, beatyours for the askine, and that no

Bethlohem mokes all AISI standard alloy steels, as well as specialanalyses speels and the full range of carbon grades. Call upon us for your alloy steel requirements; now and

RETRUCHEM STEEL COMPANY

RETHLEHEM STEEL

Service Man difference in the

was not given ougston in they be the

Apart from meeting the situade in take condition of a presence of 1 pers

Eugen is mounted as a floature

endly connected to a threat surveyors rasching. Engine ethnists rate a water topic. Most of the salt exits the control amount of the remedia condition one

RADOP\* SCORES WITH



RADOP SYSTEM COMPONENTS



4. Augor scours - First unit to ragges to pravide a positive treasure.

For more polynomics on Del Mar



### NEW AVIATION PRODUCTS

Titesian Allers

Other solid-state devices, DC-QC converters

JORDAN

time delays and precrammers, etc.

frequency sensors, voltage sensors,

no the mater states MST 160 or no Melfors States Metals Carp., Niles. res. Surber alt ' in set corners MS1 - Obre



11 Description Fautheries Pome Meter



termi propeng reskett Tesl. Corp., 1009 E. Vennout Ave.

Aireratt Sirmit Sreeke





+ 600T and of obstacles of TS-000 for

Environmental Test Chamber



Became Analyzers

AMAZION WITH CHARLE 22 1550

Here it is! ANOTHER CONTINENTAL "FIRST"

... Greatest Aircraft Advance in Recent Years CONTINENTAL CONTINUOUS-FLOW FILE INJECTION

YOU GET ALL THIS: - SECONDE OFFEATION, became will be

# INCHESION RANGE, because first communities com-new by produced prography Oracle on regionari

@ METTER ACCELERATION, with come of the characteristic first growing otherwise before first decembers to

a resident ream poors, the sease him begand to Property. Or ...

With Continued final Injustice, an automote from it regulari-ners. You shared you fire college at markets for manifester. to all opinions being new of their Book proof had being the being offende to antiene distribution of beded ford-all sole day works the same amount of lead.

ALREADATE FRAUNT DIVISION

# "MIKING" THE WORLD



Betheads 14, Maryland ine Gallie, Floride

strong to rother 1% by volume. Mus Safety Appliances Co. Pitte local Fr at 600° E WHAT'S NEW

Publications Received: A Resemblesiah tessisten of all

Betsk Need Alcord 1982,88-34

C F S Buttiplier of Ast Fowey-by

The United States As Force Report

#### 500 hours of continuous

#### pressure measurement The state of the s

Two ustigue CEC Pressure Polisson, the 4-316A

BOTH THERETO AND STREET, AND

Consolidated Electrodynamics











AVIONICS

# USAF Proposes Satellite Relay Stations

Wathouton-Use of satellities as pos-

Stonal Relay



within one-quarter degree suggests that USAV or threaten of some a flat observed

· Lewer power transmitters Gocator



### Moon Probe Television

earth will require that the retailible be repropose with a televorore review expolite of

Contact your nearest Westinghouse representative for complete information on how this small, ragged unit can help solve your alreasts or min sile texasformer problem . . . or write Specialty Transformer Depart ment. Westinghouse Electric Corporation, P.O. Box 211. Grecovilla, Po. YOU CAN BE SURE...IF IT'S Westinghouse 🕡

A line of regred, lightweight transformers specifically designed for both,

are shock tested at 50 gravities. They are completely insensitive to very high differentials of internal or external pressure.

M-1 TOSS BOME SYSTEM When the prime contractor for the M I Term Somb Senters required a highly exhabite



FAIRCHILD ACCELEROMETERS PAIRCHED FEXTURES - Fairchild Emain Accelerometers are minoff. The \$4,200 is an exall design such cell swape reshaunt and

Potentiometer or AC pick offs
 4. Low temperature error



nower operational TOTS of the total

University of Satullitus



### TEST FOLIPMENT

**ENGINEERS** properties by the explore new

NORTH AMERICAN

AVIATION, INC.

\* 100-ft suffatable sphere, developed by

water. crebble used takes specially in parti-

OUT EDITOR!

PREDICTION OF PASSINGS

IS not been fast or



An experiment of the property of the property

pactors of retrieves, wishes and soyane. But determine techniques and the paper of the paper of the paper of the source of a defendence or monthlying matacidal. However, it is often such on the ways and plake find page, justices were appropriated to the page of the

THE REX CORPORATION SHOW IN COLUMN CONTROL OF THE PROPERTY OF

pertunish danng a len kours bemeren and danng daliphi bean time ones remerky with the speare central impores. Pulman sag of this is might be self to an in the control of the self to a like the control of the self to a like above, the meanures that the body length is meanures. It is not obtained to the self-toseed obtained as although ranging town of the control of the self-totions which are all of the self-totions where of the self-totions are self-totions and the self-totions are self-totions and the self-totions are self-totions and the self-totions are self-totions.

and pleasures, seepen vir. In the decide of the inventors for the second affectivities, which is one in the wife the quarter of trappens as about 30 to control 700 ms, that is it passwared in these Affectivities and other perfect reflective and other perfect reflective and other perfect reflective and in the plane of the plane o

smal is exhibited difficult to see direct and finding being control of special form not all special finding point visible or \$100 of side for the conference which is \$100 of the finding finding and the conference of the finding and \$100 or right and \$100 or right and \$100 or control of the finding and \$100 or right and see see see finding and the finding and \$100 or right and \$100 or right and an experimental see see \$100 or right and \$100 or right \$100 or right beginning and \$100 or right \$100 or

where the state of the properties of the control of the properties of the properties

#### Expansions, Changes In Axionics Industry

and comp too bound District, restrict, and the second process of the company of t

ANATION WHIK, Owner 25, 1950

A rever company field under constant and HISTO South Amstern Biol 8 Internation Electrometer Coop, has been less producer from each 1900 by 10 companing office. Marking at feminent GART, which will receive recognition to the companing of the Marking at feminent GART, which will receive recognition to the companing of the marking at feminent southern companing and the companing at the companing of the companing of the companing at the companing and entire production. I marketers where we will south for expense in 100 to 10 in 10 in 10 in 100 i

lex gooned for nex 11 000 sq. It organizes of the best-text. Call, which will include comparing the best-free participation of the best-free participation to 1,000 sq. a. Raystone. Manufarturing Co. not bed \$12 voltage fight for finish at Bodfood, Manu, under New Responsel Acesses not speacethy, to Bight.



ponents and system Faculty sellposteds 16,000 to 11 of hospe are, 16,000 for slop and lobourier:

\*Bickness Introducest, Inc., his female Sheelley Transitive Corp. of a subsidier compan, in capital deel optical and manufacture of pressure.

Libratory, femind in 1955. Dr. Welham Sheekle, in present a Micros C. Handa at vice product and general recovery: \*Encores Diotric Manufacturing Co. St. Louis, well expend insurely are

# FILTER CENTER

Potrailor ECM for DTI-Working Done Elongs, Art Alsa Elongs in empiring against to omittabl learn empiring against the omittabl learn should be General Deriva and Ratio Long and Landson and Company of the Company of the North Accounts in 200 and the North Accounts in 200 and the Company of Elongs in the Company of Elongs in the Company of the Company

American

Impactor saltings has been observed in Methods Research of Standard Standar

band to it Care port I repentite the limits and 
Pick Yam Strk. Goalest-New will fight just and shous pilet coloniate or some discount of second of the second stress of carest delected technique for management of the second stress according for management of the second stress of th

at the first International Continuous to the first International Continuous Indexes on Indexes (Continuo Inc.), 1999, the centred De Engree 31 Gentler, R. Wackfurlige Gorp. 18210 Bellium; J. Los Seguies 45, Coldf. Eshibit i



Mehre empeditate insuccessivers to to vertical phase or Cutts Inspection time: I have former as a matter policy of the properties of the p

The Gaertner
Selectific Corporation









PVC) its modification H H



№ Clear and Get B—Polycrottsliese yetters and Get B—Polycrottsliese yetters som geneat, with critical structure identical by natural great's activitie for one is generated an industrie, relation, place shafters and solution, has been secretable profilement by Kenthet Co.

ideation for natural greet sensible for not re gueranter emplifices, relation, phase shalton and isolatine, has been encoughly involved the Co-Chiton N. T. Semple quentions are now installed, conquere natunate boulding aware (LASS, doctsingly the Ministrophial-Bracovil, which apply the Ministrophial-Bracovil, which are the complete of the control of the copage the Ministrophial-Bracovil, which

stepsis and videote rearried, will be demonstrated by the North Assertian E-00ff at forthcoming the Four genness; seem a North Allia P-Speedy Silvan Diode-Delhard rifcon include with radicioning bear of only one mellow transceleded one believed to a second law horse developed to the Tolophone Laboration. Other stems

• Radio Interference From Dorder-Semioradantic dedet and methods as sheeth oer fording midospotal not in a scient experient, may generally ferrid board midd. In Engineer interference, Junes C. Benn of Comerc. Sen Diego, reported at Worker Destroyer Convertion (Wilcold). Conserve of subsect. First. John S. Salts of address. First. John S. Salts of Sentence.

a thing reasest pulse, headed in warnutation only to extend recent near auto, in fine threath duale and perfeer large suches of mole hospitalsbarrooms. Interference effect is reallyread in three-place satisfact research. Seem and the described simple test access for accluding interferenceficialists.

Volumetration is botherg for electronecing energy to make in Capital CAA program in an opposition with an April 1994 pales 25% (SLLIS) involved only of the SLIS (SLLIS) are shown with an additional 51,500 plan allowance, for each very of indifferent portionated represents. Toy CAX transfer polymorphism of the CAX transfer of the SLIS (SAX transfer plan SLIS 80% Inlang allowance).

Displey solar for multimery of nesseles, projectiles, second

# our Inspectors



# ...work for you!

When our product leaves the shipping noon we know the note limpingping noon was known the note limpingis the customer. Probabily the most customer winded of oil our personnel are the inspector. They have been specify technol and the complete of porters and storts that may be required. They put the final storage of approximate A.T.B. quality products they you seen our intest brookers?

copy is yours on request.







What's new in plantied Wast the show and keep abreas of this ever-deserting enforce; See all than's latent and bear makes the six than's latent and bear makes the expension to open production. And eathor is make larger profess through one of planton. While for the todate pow. The plant deserfor the todate pow. The plant deser-

SPONSORED BY THE SOCIETY OF THE PLASTICS INDUSTRY, INC.

vederles was displayed by Missever's Yambon Tickepple Co. E.M. at Para Yambon Tickepple Co. E.M. at Para population in Nicola, ments speed single of 2 to 18 mph., but can be extended to 2,000 mph. at higher with addressed of defenred coefficient. Missever survival population of the property of the property property

# NEW AVIONIC

Framedonical digital cocorts, analogo at 10 cerus types and three standbles in 10 cerus types and three standollines for temperature ranges of -10 to 65C, -10 to 75C and -55 to 6C, come in unasposition plays are: Cecusto are designed for 190 ke operation line can be operated up to 50 ke, and my to 400 kc in comact. Autolitic recents recheef thy



diside OR gates, NOR gates, profiled gates, nearlier gates, meeter soughfairs, control or active gate success, and macring singlification, counter for fource, poster for meeter conductance, mendeducted southern for mended

• Ethy chritic monitor, Notel CCM1 indicates when risks, centure upon the motion reduction open for context opening man selected true ratered Australia and 100 recreasements in 10 associated opening man internal beneate the context opening man internal to the decired Warring lamp lights 10 indicate followers often Vol. Yearner, bet, 1914 Seefs LuClewege Blod. Let Augslei 55, Calif.

 Law-impancy cut-off raise, Moriel \$5,300, in advantal in Acquir in the quarter of power rapph to general damage to frequency sounds apparent table in designed for 11%, 400 ego opeyation, his nountal that of annurum wills. October 20, 1955.



frequency of 150 cps, ± 10 que uses unificat temporates tange of −600 to 850 cm (strength with parameter than 50 cm (strength with paramet

• High power insusibles, with types cannot game of 40 and 75 at 15 are pers, and associates ordered to the pers, and associates collected to the pers, and associates collected to the collect

 Minister person translace, Type 5-00, negle-cell, ramble eductions, claphings; type for use in indectance and maximum controlled FM/FM felencity system, openins seen test-



pendure sings of -05F to 24W, has 1% horastly, memors if in dir x i in long. Used is view, manustru to delicahar a rac trace of 7F to 150 microvoorals. Ulyadrine line, P. O. Bec 1035, Albopartyn N. N.



TECO Aircraft Seats Refeat, Oblives

FIND OUT HOW

PLASTICS FOR



F4H-1 F8U-3 Start Competition Tests



#### MANAGEMENT

#### Technology Raises Modernization Tempo \*On a long energ besit, industry event territor Long production ram will

By Cool Bayyalow

comble of foreign state of the act of

Military Industry Warnings

will be needed by both policy and

American Acution Ice wereth ment modernee they further and possible out that industry is proposely endest and police."

Increased #Hickory

which they are enable . there is a

explicit in whaterer area and manner Greater Decembelisation The world ficulably in creability is

This teeps also soons likely to not The difference or the short tree over

## A NEW CONCEPT IN JET ENGINE STARTING FOR AIRCINE TERMINALS AND OMERSAID DASCS



The WELLS Cold for Starting System for jet about the regimes introduced a

Namerical Control

to bear the cost of the markets and



Douglas A3D-2P Carries Comeros Dourks AID IP is designed for long sough convertioned photo retrongenesses during day

are prevents and forced reductive to district base well be alread principally Define Descriptor Discret fundam and assembled assessment

## NOW AVAILABLE

## FORCE BALANCE INSTRUMENTS FOR FLIGHT TEST THAT

REDUCE RECORDING AND

## TELEMETERING ERRORS BY A FACTOR OF 10

Your inquiry is insited recording: ALTERODE TRANSPOCERS MACH NUMBER TRANSPACEES

BATTO TRANSPORTERS



AVIATION WEEK, October 20, 1938

# 200,000 applications of pressure fail to shake this gauge's accuracy!



Course receipt of such new Pillers was sent of the



You can scratch cycling andurance problems from your high pressure gauge headache list with RMC-Lindsay High Pressure Gauges

PROVED BY # 1568 Provinces in compa. 6 to 1800 to 1 pp to 1 1000 year and covered works, expendite of \$100.00 to PARAST #4. Naminal received assessment What are but her provide proper problem may be used on the total



LINGSAY PRESSURE GAUGES

EDDESTIE AFO. CO. OF CALFORNIA TO Description, Provider Cofficies EDCRETTER HAMPIACTURNS CO. INC.

. Below on contacts over \$750.000 co-crement facilities will have to subel submotractori casalinho mul tuctur office is otherer of its two

# Army Plans Courses

On Hawk Systems Heal is scholated to experience

### AMC's Procurement, Production System Undergoing Realignment

Be Cong Levis Delia-As Material Commond in

the Directorate of Precincipant and

Weapay Sesting Project Offices will

Project Offices of the Assurantical Sys-

nto Office his been redesignated the

breach pinel bound after at were breach With motory for THE MACH The CITY OF MICKEDWILLIA, MICHIGA Enable & Mader Billion

Jacksonville. Worlds has Skilled manpower in abundance



count chance, and wheels maderal



Jet Age Aircraft Displayed for Businessmen

ner jamed Veder polityst nei staret ausom gefeknist sie na. het Beite. Areisten in 111 Josephorstyn L. n. Joshichschaften einer Joshichschaft von der Schaften und der Schaften

general Control Section School Control Control

mode includes in a detailer, in the sound implicate or placed in a finish implicate or placed in the control of the sound throughout the control of the control of

ton, to-dopper mends at the interchangishelds between and majorithm and influential and influential and influential and influential and interchangishelds and interchangished consists and interchangished consists and interchangished consists and interchangished consists and interchangished in a cloud and cycletin in sentiment to desire in the continue of the contin

Various places of the memor middle different management approache for AMC, Gen-Engelt told. In ideals and core in a desiring with the some community AMC Sales the legate to get transpare the host solvanes, her is against meterful by consender solvanes are supported. In community should be returned by consender that he suspense service as supported. In community should be returned to some measures to be good of flaciolities, and equipment to the good of flaciolities are squared to the good of flaciolities are squared to the good of flaciolities.

day calcul, high response logates up. been such in programme or guidance and Gen. Begust éstalled significant es port. As nespon soltimes become, mois consignit occupier and in temples surface conductions in facilities and personnel complex and in temples surface con-



X-15 AVAIVAY ... XARGET, 100 MILES ET! On a day assprintagly soon 46.000 four interest waters. This . Both American's environmental and the second se





A service out

Massure



Contractors Advised on Funds Bill

cornel by Courses in its last series . Ememorary fund used of some sort treety where delacates were to become 100 met new detection in lane the

rmus makes for mentest officency and

 True peterded of version earliest one Complete Lies -Grand-board FM auditates .

\*Lenghtion can belo small buriness

SYSTEMS, Inc. 39 Base St., Danbury, Conn. The Standard of Performance in

The newest and heat in -GROUND BASED FM ANALOG DATA SYSTEMS



Fundish -Variable frequency excilates

frequency national Date from DC to 10 KC Medular

ridge to reference and story mieno \* elibore aglilotore. \* electronic commutation \*



manufacture, prosen performance in Potentiometer indicators, controllers speciation stead behind every Thoraso and properties. Millionitarates under-

Tempetature reason from -320° E.

of assolution. Matalia armor over. Write For Descriptive Literature

to become teamer express descripted by the section for

Quark-enepling conventor potein and

Accessories

Tharmo

Test Pilots Discover Airspace Regulations

under normal IFE escartions when

NORTH

FLECTRO-MECHANICAL FI ECTRONIC **ENGINEERS** 

Floris Control Applysis, Applied Research to Re-

Please write to, Mr. A. K.

AMERICAN AVIATION INC

Test Pilots Honored \*Col. Seba Marikesis, rokind An Error

All Horkhore, North Assertion Arie

Reference would be from 1,000 on they arboric engrassionant Merc



HIGH-

without the and mendry unconiciolate

Making high-paraginan some of all types



From Normandy to Eniwetok, P.F.C. Joseph Willie Kiltoy was there . . . and he'll be out there somewhere when man in space is commonplated Today, the top satroscientific and missile engineering teams in the country are already at work on the fundamental problems of space exploration and the manned orbit vehicle. One of those top teams is at Martin—with \$0,000 engineering man-pean of experience in missile and space system pioneering.







the composition has made to the GLA, the composition has been under no those 1-200, stand classification as the composition of the composition of

braded \*Requesible groups should be reserof the deembilits of enting down cost, per page seed, to measure core appertunders to with fine other amount. In duffing its resolution, the connective concluded that the immunications would probably him to went the sidetonic or a second connection or and the sidetonic or an account or mounter no.

vaguate in a security and per to the cold with a cold

range. "See already designs should ofter revised violety, meapoulde to their consuld violety, meapoulde to their contractions with a backet constituted."

\*\*An Arms shorly specified to the tranposition flower shorly specified to the tranposition flower shorly specified to the traposition flower flower shorly specified.

\*An Arms shorly specified to the traposition flower shorly specified to the part address and of that the had belowed that during the facel opposited the path offers to be designed of all Tool police considered the violative of the short had been short to the short of all the contractions and the short of shor

#### BUSINESS FLYING



### Super-V Bonanza Twin Starts Flight Test

model come of the four-time from the late 1th at self-constitution for the . Where we little with strengthand secured by Oskhard Asmerive Co., \*Single Continental orgine is replaced tyiled popolits heary Headton 100 (AW Aug. 27, 1956. p. 50) Oak-

1,900 fb. and cony a total of 108 ral



#### Airwork Miami Keys Overhaul Unit To Turbojet, Turboprop Aircraft

Mass, Fla-in a mojor capasities. First situation through the driver in

as a separate area to reduce for hazard on Milrolle, N. I.



sliencers...



THE MAXIM SILENCER COMPANY



Ordered upon at well from dusc distrib-





#### Aero Commander Has Low Cost Interior



. Increased upon of the 690 E over the commun 193 hr 0143 mmc, web cleave

Two mrs models of the Ago Con-

Aero Commander		
Professore	Mads1500	Model
Sigh speed III select powers	TIX mah 1	211
		226
ind word (you down, from down 40 do		
pewer off)	63 mph.	71.

High speed III roled power		
Counce speed 40 70% METO power	295 mab *	226 mph.*
pewer off)		
		7,900 W.
Super weight		
Usable doel expects		
		25.500 ft.
Single engine absolute cathing		
Tabouli datamor to slear \$5.0s, obstock.		
"At you brook "At \$2,000 is. "At 15;		
spiceal on Model 500.		

acron the tay cond. Bake read villan "pero key" howay.



#### SAITH SUPER-26 booker reservoires solls stone automore, resizes at more than 500 mole. B-26 Converted for Business Use

an are come festure of a sen modi-Super C-10C Super B 26 kgs accorded Repostored Superil 15 wiles Fire calls als new conversion the Total feet county of 1.150 rel Word bendung ...... \$30 k-rdy ... AND POINT MUCH.

Propriettes ...

spelled commons along the 5000 min Asquary 400 to 500 es. YEAR . . . . 14 cast bond 











For crample, Robe builds the complexe, 40-foot families section, jet potal and structs, sound suppressors and frigat reversers, and for located sta-

The fact that our record backlog figure is over 50% commercial contracts is just one of many reasons Rohr offers unusual security along with professional growth to highly-skilled aircraft engineers.\*

Please Served recent to J. L. Mobel, Industrial Relations Manager, Body Agreedy Commission, Chair Vota, California, Dett. S.





Anti-Collision Light a sudden Scriphin annothina Light a sudden for the collision Light a sudden representally (1990) and quantitative of displat spalls. Expansed remain is then such no desirch lange and a postable shaped in over 400 vide charge before an annothina spall of the collision to the collision of the collision of the land in 180 lags or Marchitecture remain and to 180 lags or Marchitecture remain and lades for large Charge and the post-large Charge and the postmial lades for large Charge St. St. St. St. St. St. St. St. E. Edding. 1904 Mance Days. Change E. Edding. 1904 Mance Days. Change

center were gazante and 110 gill in reterred weeply tested. Scientist according Scientistal second, includes removing the sast weap spar where it cares the colors in previole a longer other and exclusion. An electrical is settled to hance. An electrical is settled to hance An electrical is settled to take the second with a contracisioned does in located on the critistens does in located on the particular and the second with contract. The second with a contract and the particular version is in one in matter to second with a contract and an experimental and a second in the second with a contract one in matter to second one of the

Communications corporated by close as America Radio Corp. Tel. College as America Radio Corp. Tel. Sept. Sep

ricess, Dore
dispersor-ser
exerus

1000 Bas Jans
1 mose cebes

High personn
tomente rega

Santes Befor
i both type

1 center Sec

box and a double herbalike and as the dat oction. Two angle, yet have helded all out fine from angle yet have helded at out fine favorers and builter. Specifications for the Supper B 35 m-clode sakened goes scripts at 15,000 fb. handing scripts of 13,000 fb. handing script of 13,000 fb. and sets autoid couply scripts of 3,500 fb. Takind dataset over a 14 ft obstacle as gazes as 3,405 ft while limiting dominance over the closests. N + 5000 ft fi

#### Male Pilots Outnumber Women Pilots by 40:1 Ver plots outnumber women of

to 4.11 min according to CAA into their home her U. S. neid craited and plot must min 89x147 the histories and their services and their according to the services and their services according to the properties, the problem [84] required and uniquities actions, counts traver operate, the specific [84] required and uniquities action from their services and their services action with 141,000 contributed pulse when received to impallions. Also into the probability of their action of their services and their pulse of 115,000 Benedities of some confliction. Self-97 subsetts pulse 412,000 gaves place 227 to 70 across 412,000 gaves place 227 to 70 across 412,000 gaves and confliction the right value of their services. Also self-pulse 412,000 gaves and confliction the right value of their services and their services and their 412,000 gaves and confliction the right value of their services and their services and their 412,000 gaves and their services and their 412,000 gaves and their services are serviced as the services and their services and their services are serviced as the services and their services are services and their services are serviced as the services and their services are services and their services are serviced as the services are serviced as the services are services and their services are serviced as the serviced



Twin-Beach Rador lands in a fash Casp of An Epitholiph VDB worker sales II on a state that it is a fash of the sales and the a decrease of the sales and the



pacy a Woldso Determine regiment a marker of many energy injustisation camargons with advanced projects. These specular all the steps needed to to year creation powers to justice!

ARRODYNAMIGES

Operating one has high free possibility as the possibility of plan and date development programs.

# TRUCTURAL

STRUCTURAL DYNAMICESTS

Associated and end engineers
was \$85 or observed degrees
well find visuolating mergeranes amonth Work tenders
completion and resiluation of
whether and resiluation of
whether and features.

sevelopment and presents. An authorizing severe reasonable position is also smallable for me remonstrated or next supported with a Ph.D. and five to loss young of supported as particularly framewor and new visitability.

STRESS AMALYSTS

Opedags are for mechanical, ordinal summarization fragment with a Bit as advanced degrees, to perform another another of services and structural loads to enhance to produce and amount progrees. Application should have from our for purpose, along a descript progrees. Application should have from our for purpose a second requirement.

you'll be assessing with selfstanding me to your field, and how at your disposal some of the men up to date regispered and laboratory decides in the industry. In addition, you'll enjoy many benefits unbidging insurance and referenced programs, referenced programs, referenced themselved and laboratory and the prosed help up thing within 18 M. J. B. Hafferon, Payl CSV,





## How Modern Is American Industry?

A Report by the McGraw-Hill Department of Economics

But the conditions of growth are for different from these that are varied in the years 1967 to 1987. firm's ability to hold down costs &

restorated in the survey share replace today's obsolete equipment.

This tremendous need for med-

B is a challenge to American to ensure our contrastion account to mends burker pational apopose with-

THE MODERNIZATION FOR AREAD-

MANUFACTURING AND MINING PRIBOLETH PROFESTRY . TRANSPORTATION AND COMMUNICATIONS. 264 

company. There are no shorteness. reductival expector in smale. So in

to become arranged tasks for these shalleness? The service from U.S.A. has invested \$250 below to

#### THE MIGRAW-HILL SURVEY Conducted by the McGraw BW Department of Economics in Agent, 1958.

MALES

Dec. 1942 Dec. 1953 Dec. 1991 Machinery Bulder - 15 Stone, Clay and Glass 46

ALL MANUFACTURING ... 45

or orpposed, or or modern as we

Thus, of all business about and

redeam is now since 1860 - a ne-These excuesting take on radiality or

are about 40% mag productive then 1935 models, and that a name reduce operating roots up to 30%.

### Must Bree

own, we shall need a sharp rise on productive efficiency. During the

We can make those cared gains reductrial reporter is adequate, the next few years will be a period of

if sudartry goes all out to modernies

we face a nervous challenge by entaker is the draw for openeous manufacturing leductries, to find

tics - replacing outs what is really nearly 520 billion per year for the

a national calamity. The experiently

This also is a challenge to the U.S.A.

on a matter. For 100 years, this patrue has been leaded to at the model

A National Problem

Some equipment aren believe that

that persents a persistent problem - is the shortage of funds to make encounter that need and want to

1998. But a number of key under-

#### MODERNIZATION PAYS

capacity, still offers a relatively spack return on seventment

	PERCENT OF COMPANIES ANDHERING			
MDUSTRY-	1	S ros	i.	9 year. mad once
less and Street	ns	56/5	1710	22%
Nonferrous Metals	29	73		1
Marlanery	12	56	12	26
Destrood Madeingry	13	57	1	2
Auto, Trucks and Parts	43	68		
Irmspectation Equipment (sirror), days, sulread				
rengment)	2	58	28	29
Other Metalyuriana	59	50	10	14
		53	29	16
Paper and Poly				34
	33	50	54	
Stone, Ciry and Glass		67	34	1
Perriesas Befans	36	58	17	17
Feed and Enversure	16	44	12	29

\*Year Assessment and relative species, in a 1855 Medicin Hill review, were as follows:

the swarred transi. Those include teatile melastry, some princing index tries and many mad to medians-rise

Coupually we should lose no time in reference these previous of the problem areas. Degressed industries

difficult for compenses - espensity

#### L68 359

It is thus combination that Green-Hell independent on "PLAN" 3. A better flow of terbased in-

formation on where and how to

Sin to modernous as a profit - then ertion to realors absolute facilities. Nucl of this program is shrady

But the real task of modernion

tion still has about, it with received





### Bulova's capability helps to solve today's most challenging problems

With dynamic imagination, Bullyti's capa-bility has stynded the often uncharted

Here is a proven espelably ready to social

#### watch compony RILLOYA RESTARCH AND DEVELOPMENT LABORATORIES, INC.







in field of

material problems

## SPACE FLIGHT AND RE-ENTRY

Boong Sestons Management Office,

Requirements are a Ph.D. or The rosp selected will have full responsibility for maternals undeed in

meet Office Solory, naturally, soft



DRIVATE LINES

New ANT-IG settents for July

confly made two rayes symmetry



CONTROL ASSEMBLY J-4 Attitude Gyro


cally davelaged sensing relays Riack boxes, brain beases and ing control emipment manufac-

Cook Flactric Co 1798 Studiquet Ann., Ellings 14, Winnis



# THE TROPOPAUSE

As the illustrates shows, the beatle of



FOREGARY. Top Flight Performance with Mobiliet Fuels! Chaese frees a full line of Mobilet feels. There's one for every sempenant mare . from 100°F to -16°F. You're assured of

You're Males About With Mobil



# Rotary Atomizer Controls Spray Droplets

Batch deviced some of continu







Man-Machine Relationships: A New Field for Scientists and Engineers

A now field for Operations Ensemble Revisible, Enterent, Conport Programmers and Educational Sciences for review from
Spicora Devisional Component Component Services and Services Se

and machine operator. It another two maps programs is creating and conditions frequency and another programs or prevent and plasmed and designation or constraint and another programme or programming for Selfon. Administrating the entire efficient instruments between case, and conditioned in a plasme improveme in program instrume shelf and interminal conditionation of polymoid and insense the animal, it is a new field of epidemics.

con Behrvani Sonrom— il fini ileri muzamenti relleri i rolique quellino ol fini neu ileri. The capsading scope of SDC's work hist crusted a unaber persone in fluoi ficili integrana ere irrent. Addivisi R Front, 2010 Chistonici Are, Stata Montar Caldornia, or pho solitoti el EXtronic 2-0411 in Sinum Montar.



#### SAFETY

Headley Page Aceldent Investigation Reports

### Turboprop Gearbox Shaft Failure Cited as Dart Herald Crash Cause

Feel Flows Beek

broad off and left near 300 of before

at 15th a not of the 15th England Confidence of the 15th Engla

and in the extraor wave deporting by an come g.

A should 1918 I Beer was a such as the come of the problem of the come of the come of the come of the come of the problem of the come of the come of the come of the come of the problem of the come of the come of the model of the come of the

fact in the bight between children men account. There is neimbour upon, a road the coldes debed the tops of the ipone, the coldes children of the coldes proport, thereboar, their in the coldes of add nades the coldes one of the coldes and the coldes one of the coldes and the coldes one of the proposition of the coldes one of the The mobile of coldes one of the Coldes and the coldes one of the Coldes and the coldes one of the Coldes and the coldes one of the probability of the coldes of probability of the coldes of the time that the first hough to the first before the coldes of the coldes of the coldes of the the coldes of the coldes of the coldes of the the coldes of the coldes of the coldes of the the coldes of the coldes of the coldes of the the coldes of the coldes of the coldes of the the coldes of the coldes of the coldes of the coldes of the the coldes of the coldes of the coldes of the coldes of the the coldes of the coldes of the coldes of the coldes of the the coldes of the the coldes of the coldes

Result of Investigation Note Regar has employed to good resolved and record to conclusions

gas enterties on terrors or manning complesses.

1. The setal false, was of the scoking garbos, benthar loyable which feathered in the codenate bencame the sphere and the thereford portion.

2. Falses of the short enterior of the fine of all in the throbes former.

AVAPTON WEEK, Douber 20, 1935

using only

# your potential

Receive it the diseasely and impoly increases destants for our products, you have to challenge experiently have at facetal Pacific in controltions are experted some products, your SCM at all levels in our and of, independent anglessing groups on their levels.

MISSEL CORDANCE - THEMPIESSON AMERICAN - ASSELLA MIDRABUICS A MARRING REPEABLICS
SORRE ANYL SUBMARBOR WARFARE
From work W. C. Wolley poor
Consideration or fell in the
Consideration of fell in the
Consideration of fell in the



# Dynamics and structures engineers:

Increased activity in high-performance arresall minutes and space studies being preduced or engineered at NAA-Colombia has covered operation

SENIOR AEROELASTICKTY ENGINEER: Reals are new arphane and minute designs from an new elastic standpoint—contribute to the acceleate desage of production weapon systems, including consicutions of vibration, failtei, status accordanticity.

reason assistent — design and testing of complex seconds assistent — design and testing of advance reason system.

ACCUSTIC SPECIALIST: Seconds in reador

envisormental vibration and accepted levels in an around the arcenti and in project the response or operation and arcenti extrature to these inputs Design of withouten includes and acceptate insulation. The will be supported in these activities to well-trayed mathematicies and mathematicies.

SENIOR STRUCTURES ENGINEER: Capable of handless sophisterated analysis on mage structures of averant on ensules. Enchargeand in some loads, structural or serplane dynamics, or thermal stress

These men should have degree and sufficient or

Engineering Personnel, Box. AW 176 North American Aviation, Inc. 4300 East Fifth Avenue

NORTH AMERICAN AVIATION, INC.

At which ke's been expensioned in some on a proposition for tendence becomes or a proposition in the feature becomes or apply, or insendence solutions updat he specially proposed to the property of the special proposed to the property of the special property of the spec

#### AMC Contracts

Withdraftene AFR Objected leaves at 1 are of authorized colories for 515 000 and never as obtained by the Mixture of the Comment of the Mixture Comment of the Authorized Comm

A To Company, Specialty of Sections 1800, 200 and 1800 and 180 and 180

The second Court of C

CATRON WEEK GASASS 20, 1965

# WHO'S WHERE

Changes

Open Robust F. Line has been control.
Open Robust Robust Robust Robust
Instituted (ELL) also on the 1 hold of the
Northern Robust Robust Robust
American Robust Robust Robust
American Robust Robust Robust
American Robust Robust
American Robust
Code, On Vagoro Carlo
Code, Olde Mobierte Chronical
D. C. Oddo, Olde Mobierte Chronical
D. Walter Child F. Accorded of semiconductor research and for Opports Moreous
Language Mobierte Robust
Language Robust
Language Robust
Language Robust
Language Robust
Language
Languag

manus II. (Mixtus, discus) of other states (Friend 1987). The states is the states (Friend 1987). The basics (Friend 1987) is the states of the first California (Friend 1987). The states (Friend 1987) is the administration (Copy, Friend 1987). The Friend F. Beet, dentity of previous, places (Friend 1987). The states (Friend 1987) is the states (Friend 1987). The states (Friend 1987) is the states (Friend 1987). The states (Friend 1987) is the states (Friend 1987) is the state of the states (Friend 1987) is the state of the state of

seeds for operang.

Finan E Governoy, nature originous from the Company and the Company of the C

No. 1 Acres 1

ENGINEER OPPORTUNITIES AT RAYTHEON



Newly formed project groups solve

complex airborne radar problems
Engineen like the propert type organization at Raytheon's

problems of the day.

Al Mayanid, you'll find projects Involving many areas of alternity
movimation and guidence systems — despite novigation, velocity
check systems, rapid eighter operations a systems, fight-control
systems, diffractory. There is also inforcing new work on countertions are confinent.

MPCROMEAVE COMPONENT STORMS ANDALTORS & BECOMMERSING AMERICAL WRITING RECTIONERS PACCAGENES SPECIFICATIONS WETTING APPRAISES CIRCUIT SESSION

or company details on ingressing pathons in any or Mayorico ingled groups, please write John J. Oliver, P.O. Best 37 systems blayeard Luberstory, Mayored, Mana.





FIRST PHOTOGRAPHS, DIAGRAMS AND TECHNICAL DATA RELEASED ON HISTORIC TESTS PROVING FEASIBILITY OF DIRECT CYCLE NUCLEAR TURBOJET

SYSTEM FOR AIRCRAFT

of Birest Cycle Nuclear Turkeist

Surface Fracer Plants for Alvereft New Ender Development

Project Suplementing - Make lide

Britis on confidence, fached by androy representative to Mr. P. W. Christian Roses of ECF AIRCRAFT NUCLEAR PROPULSION DEPARTMENT

GENERAL M ELECTRIC P.O. Box 552 Concession 15 Own

#### **ELECTRONICS ENGINEERS** IT'S EAST TO APPLY FOR A FIELD SERVICE

RECTRICAL PROPERTIENS

real year serve or roach soul the stant standard coverpts of . . .

MENTARY ANNIQUES SUCCESSAINS OTHERA, IMPRICATIO SERVICE SCHOOLSVALVA Sumply only for our concernment application form. We shall be become

SARAH - COUNTRACESCHIC - DISTUS COMMUNICATION -

and to return part soft and our a sample scattering from

AN V A PARRISON OFF 10-RC GENERAL SO FLECTRIC 80 Bood St. Dies New York

THERMODYNAMICS ENGINEER

# FLECTRONIC FUGINFER

who advertise · Dendes ted assistment methods

> hoppers that the only letters on hopeledged on hose of the year transition excellents. Differs now

**EMPLOYERS** 

It will half to keep our condens reserved, even if you marely return the letters of propagated applicable

We suggest this in a spart of cooperation between smallerers and

McGraw-Hill

Publishing Co., Inc.

is a the stratosphere. Officially

HAVE SENSORS ... WILL TRAVEL

district sheed will be finding out



# Bendix Systems Division

Done at 50,000 feet mobble the

for MEN:

Tn

letters have over been received by

nerverse ------ASSISTANT CHIEF parties, seemen Martin

first Assure in Confidence to

Euglemant Office

a before the control of the appropriate of the control of the cont THE COURSE STREET, MAN America State contribution

DISENCHANTED ENGINEERS

AVAITON WIEK Overley 20, 1725

Inventorie operage of Owego, N. Y. WRITE ordinant productives and expenses to

Send your reasons by MANNE PLANS, PHILODORN MANNES, DEPT. 45 AVCO MONTACTERNO CONFORMINA

CROSLEY DIFFSON

1309 AMERICON STREET, CHACKWART SA, CARD.

Barrie brind States \$1.000 to Them Per-County for represented Businesson pilote

derless profess with later. Will not a rest of the form of the contract of the the Billiary and P. C. S. Andrew Shaney Supervisor S.

FOR RATES OR INFORMATION About Classified Advertising

Centret The Mil Comm. Hell Office 92 mm 26 ATIANTA 3 1301 Rhodes-Hoverty Bido

Makun 2 4951 202 Pad Seway Milbbert 2,7167

MOhowk 6-5900 A 1 HORSE - D. C. VICTORIO

55 Public Septemb Silven 1,7000 St. S. SULIMAN . J. X. SHIPPIN DALLAS 2 1712 Commerce St.

Sheeride 7-5317 SERVICE SOURS F E HOULAND \$56 Penahecat Bidg. WOodeand 2 1792 LOS ANGELES, 17

Mareley 2-5450 NEW YORK 34 500 Feb Ann. O35wd 5.5959

D. T. COURSE B. P. LAWSESS BULLANDI PHIA 3 1715 A Savora St. Bitenhouse 4 5670

ET LOUIS, E 3615 Olive St

# #Arras 5-660 SAN FRANCISCO, 4 ( Per Se DOugles 2-4600

General Electric - A Leader for the Free World in the Development of Instrumented Re-Entry Vehicles -Seeks Systems Engineers Who Can Contribute to a Variety of Outer Space Programs

> in the development of operational mountment conservative, systems dasign, and specifications for re-entry and space vehicle systems and

Our needs are in the fields of systems synthesis, propolision, ground

getion and control, space frame datign and contiguation, and systems test and reliability studies

AVAILEN WIRE, Croker 20, 1550

#### SEARCHLIGHT SECTION ADVENTAGE BUSINESS OPPORTUNITIES COLUMNING - USED or DESALE

NOW DEAL DIRECTLY WITH OWNER to Suck New for Immediate Delivery!

PER SPLINE PLANTS DE

ERVER TRADE-AYER COMPANY DEPOSIT AND UNITED VALUE OF A PART O

SHEAT OF STREET Comp Street Street Street St. Co. St.

D.38'e

SHITHER FOR INCOMESSES

PLIGHT TESTING TO 46,000 FEET

162 to Annua Persona Pensona Calif

Immediate Delivery

BOOK BIDAN BOOM

91 530 - SUPER - 00 ENGINE WORKS

100

ARRO COMMANDER 1404

THE PARTY AND DRY AND THE PARTY IN Contraction of the sec HELICOPTERS A / 15 # HELLERS / Low

BAST COAST ASSAURCE COME.

of the same of the last

ACCOUNT OF TACKET THE PARTY OF AND PROPERTY OF THE PARTY OF P O. Do. Co. Married Phones

The special street, special special MARY CONTROL OF CASE TOWNS profit sends stands for represent

street street on a text to PARTY COLUMN TO AND PARTY OTHER ASSESSMENT AS THE PARTY OF THE PARTY O

or other party of the later of PORTUGATOR ANTHON PROPERTY THE THE PROPERTY AND ADDRESS OF BATH CONSTRUCTOR OF THE

saling the first describition of DATE OF STREET PROPERTY. CHAPTERS OF THE STATE OF War you wanted

AND DESCRIPTION OF THE PARTY OF CALIFORNIA DISCOURSE PROPERTY OF SECTION ASSESSMENT OF SECTION

and the same black I have ending rungen over retel secon course WHEN PERSON STREET, ST TANK OF THE RESIDENCE OF THE PARTY OF

RESIDENT COMPANY OF THE TOTAL TO AND THE SECOND OF THE PARTY OF

ADVERTISERS IN THIS ISSUE

right and stated of waters are with the sharp has ... Table Property Reacher & Company on Marie Sales Sales

NAME AND POST OFFICE ADDRESS OF THE PARTY OF and the Addition to the state of the state of PUR LABOUR DE LA COMPANION DE

CARROLL ASSESSMENT OF THE PARTY AND ADDRESS. - delle delle delle delle del or agreement against all 27 bellen. countries and a recommend selfin Transfer du

THE PERSON NAMED IN distriction of the contract of DESCRIPTION OF THE PARTY OF THE

and the state of t

CANADADA SPENSIONAL DATA Total Seglectors

STRUCTURAL TEST **ENGINEERS** 

INSTRUMENTATION

NORTH AMERICAN AVIATION, IN

Color September 100 and 100 an RESISTORS & CAPACITORS Any types-ony quantities ALEXINMA CONCURS

FOR SALE

C-46F AIRCRAFT

With or Wilhest

T-Cotspory Kit Installed

THE RAYBOR THESE LINE HIS

Annual Van Product

FOR SALE

DC.4's



Walley, sylvates force.

Educate State of Cordinate Private in Communication (Carlo Institution Accounts in the Cor Programmer Accounts in Contract Institution Inc.)

### LETTERS Arragacia II sech professioners the expensions of the neutron are the manys report in title magnetise's edifferent colonians. Address Ter as here france ander 500 words and

#### Benly on Lighting Mr. Balenn, m. ba colores as your first. decorate that a pariet and dreshead by the Office of Technol. Service mandess

tokaquo and tokang sequent while printing to not come over more other come 1 often men realing "Coding View year and don't men't the cost capture counting off. I support homeous that a

### Risk and Security

Airline Vigilance software exercised to school two funds

Without praying rate the reprie NYS-

every top it with a different own, and I

resigner mend

Helicopter Expenses

### Two Nikes

Hanche but the other musik on't it is a NAs Apr. I think you have a very good according and Tou shall be Address tolerate.

Helicopter Piloting Mr. Solve Treesfull on his settlife "Trans-

I repetibly take moreton to the date in I few the U.S. New NiQD. tenet on one rispine or early at 1947. Must at a true fight assistationally and

when "wet section" assemblies must be extra dry...

> West, Change Bott, G. Sand and Shaars Co Sant feeteness assure a positive easi through a wide range of temperatures and pressures.

BOLT-O-SEAL self-seeling (agreers provide

the threefed possion. Shour-O-Seel

of the Ha-Shear river.



Another to the Proof Parkly of Fine Females President to







for advanced structural design high-tensile bolting

WEIGHT COMPARISON TABLE in lbs. per 100 pieces	[%·28]	M-24 all drawl	ings are shown in a	ctual size	
ESNA LH3393 (220,000 psi)	.44	.77	1.20	1.69	2.55
COMPETITIVE Lightest Nut (180,000 psi)	.60	1.00	1.50	2.15	2.82
COMPETITIVE Lightest Nut (220,000 psi)	.95	1.62	2.75	4.25	6.00

Tomorrow's hypersonic airframes must withstand flight stresses and related vibration conditions that would have seemed insurmountable even five years ago. Yet to achieve such speeds these aircraft will have to utilize lighter-weight structural components than their subsonic predecessors.

ESNA Type LH3393 double hex, external wrenching nut now offers the designer of tomorrow's airframes and missiles a structural fastener with the highest strength-to-weight ratio of any currently available self-locking nut.

Design refinements embodied in the LH3393 series consistently develop the full fatigue strength of 220,000 psi high strength bolts . . . vet these nuts are from 10% to 33% lighter, size for size, than even the lightest 180,000 psi

Additional weight savings are made possible by the smaller envelope dimensions of these new parts, since reduction of wrench clearance requirements permits reductions in the size of other structural components.

LH3393 series nuts are cold-formed from alloy steel, processed with the manufacturing skills and protected by the rigid quality control established during ESNA's 30 years of experience in supplying dependable aircraft quality fasteners. The same military approved, ELLIP-TITE locking device used on ESNA's complete line of NAS parts, assures reliable vibration proof self-locking performance at temperatures up to 550°F.

DSI

For specific dimensional, design and test data on ESNA's new, lightweight, 220,000 psi nut-Type LH3393, write to Dept. S23-1025, Elastic Stop Nut Corporation of America. 2330 Vauxhall Road, Union, New Jersey.

